


### Description

These buckets have a longer bottom than the construction/industrial style. They offer excellent cutting edge visibility and good bucket breakout force. Low Profile buckets are ideal for grading and leveling applications as well as material handling.

### Dimensions



Description	Item number	Overall length (A) (mm)	Overall width (B) (mm)	Overall height (C) (mm)
Low Profile Bucket 127 cm	7161031.EA	-	-	-
Low Profile Bucket 142 cm	7101903.EA	-	-	-
Low Profile Bucket 157 cm	6731415.EA	-	-	-
Low Profile Bucket 173 cm	6731418.EA	-	-	-
Low Profile Bucket 188 cm	6731421.EA	-	-	-
Low Profile Bucket 203 cm	6731424.EA	-	-	-

### Weights

Description	Item number	Operating weight (kg)	Shipping weight (kg)
Low Profile Bucket 127 cm	7161031.EA	-	-
Low Profile Bucket 142 cm	7101903.EA	-	-
Low Profile Bucket 157 cm	6731415.EA	-	-
Low Profile Bucket 173 cm	6731418.EA	-	-
Low Profile Bucket 188 cm	6731421.EA	-	-
Low Profile Bucket 203 cm	6731424.EA	-	-

### Characteristics and performance

Description	Item number	Tooth type	Accepts max. n° of teeth	Bucket back angle (°)	Capacity (SAE heaped) (L)	Back shape
Low Profile Bucket 127 cm	7161031.EA	-	-	-	-	-
Low Profile Bucket 142 cm	7101903.EA	-	-	-	-	-

Description	Item number	Tooth type	Accepts max. n° of teeth	Bucket back angle (°)	Capacity (SAE heaped) (L)	Back shape
Low Profile Bucket 157 cm	6731415.EA		-	-	-	-
Low Profile Bucket 173 cm	6731418.EA		-	-	-	-
Low Profile Bucket 188 cm	6731421.EA		-	-	-	-
Low Profile Bucket 203 cm	6731424.EA		-	-	-	-

### Main features

- Ideal for everything from tough digging to material handling.
- Good cutting edge visibility
- Excellent bucket breakout force for better digging and easier bucket filling

### Loader Compatibility

Description	Item number	Compatible with loader	Functional requirements
Low Profile Bucket 127 cm	7161031.EA	T110-B, T110-E, S100E	-
Low Profile Bucket 142 cm	7101903.EA	T450E IIIB, S450E IIIA, S450B T2, S450 V, T450E V	-
Low Profile Bucket 157 cm	6731415.EA	T450E IIIB, S450E IIIA, S450B T2, S510E IIIA, S510B, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S450 V, S510E V, S530E V, T450E V, S66, S510B, S530B, S550E V, S590E V	-
Low Profile Bucket 173 cm	6731418.EA	T450E IIIB, T590E IIIB, T590B iT4, S450E IIIA, S450B T2, S510E IIIA, S510B, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S450 V, S510E V, S530E V, T590E V, T450E V, S66, S76, T66, S510B, S530B, S550E V, S590E V, S630B iT4, S650B iT4	-

Description	Item number	Compatible with loader	Functional requirements
Low Profile Bucket 188 cm	6731421	EA770-B, A770-E, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, S510E IIIA, S510B, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, A770E IV, S510E V, S530E V, T590E V, S66, S76, T66, T76, S510B, S530B, S550E V, S590E V, S630B iT4, S650B iT4	-
Low Profile Bucket 203 cm	6731424	EA770-B, A770-E, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, A770E IV, S76, T76, S630B iT4, S650B iT4	-

### Applications

- Construction and Demolition
- Grading and Leveling
- Landscaping
- Road work, Recycling and Cleaning
- Snow Removal
- Agriculture

# BE OM **EN OFFERT**

Klicka bara på **knappen** eller skanna **QR-koden** nedan för åtkomst till vårt offertformulär.

Vi kontakter dig så snart som möjligt. Tack!



**BEGÄR OFFERT**

