

# T450 T590

COMPACT TRACK LOADERS K-Series M-Series R-Series



### INTRODUCTION

### **BOBCAT'S HISTORY**

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the world-famous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.

### INNOVATION CENTER IN CZECH REPUBLIC

New technologies and machines are rigorously tested to take on the toughest jobs.



### **BOBCAT TODAY**

Since introducing our first compact track loader in 1999, the new category quickly gained popularity thanks to Bobcat's decades of experience building compact loaders to the highest standards.



### **OUR MISSION**

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.

**FEATURES** B4501640-EN (07-20)

Optional pressurized

### **BUILT FOR ALL CONDITIONS**


### **OUTPERFORM ANY ENVIRONMENT**

Bobcat Compact Track Loaders bring a host of performance, productivity and durability features to help you accomplish jobs that would be impossible for conventional wheeled loaders.

enclosed cab with heating and air-conditioning ROPS/FOPS protection Remote control ready to allow advanced operation of the machine and attachments Auto Ride Control option State-of-the-art machine and attachments operation brings lift arms dampening effect thanks to Selectable Joystick Controls option High-Flow Hydraulics option to Temporarily reverse the cooling fan double the hydraulic flow for attachments direction with auto reversing fan option Durable tailgate

Over 100 attachments for any kind of job

Bucket positioning keeps your bucket level when





### POWERFUL YET COMPACT

Compact footprint provides surprisingly high performance and outstanding lift capacity.

Change attachments in less than a minute without leaving your seat with Hydraulic Power Bob-Tach™ option



**▶** ROCK SOLID AND STABLE Unparalleled stability is critically important for applications where precision is key.



**UNMATCHED COMFORT** 

Get comfortable with several seat options, optional air conditioning and pressurized cab to keep the dust out.



#### **▶** MAXIMUM UPTIME

Track selection to fit all job sites

A reliable, time-proven design and easy maintenance thanks to 60 years of innovation.

### **POWER WHERE YOU NEED IT**

### **▶** GENTLE WHEN REQUIRED

The tracks' low ground pressure allows travel over sensitive areas. Increased traction ensures grip in mud or on unprepared sites and improves productivity with ground engaging attach-



### **▶ TRULY ALL-TERRAIN**

The M-Series' grip, weight distribution and optimized footprint allow travel and performance in places where other machines cannot go – uneven terrain, trenches or inclines up to 35% or 20°.



### **PERFORMANCE**



### **▶** HIGH PERFORMANCE AT YOUR FINGERTIPS

Thanks to advanced features such as high-flow for using a variety of attachments, auto ride control for increased comfort and less spillage, and reverse fan for work in dusty environments.

### **STAGE V ENGINES**

Time-tested Bobcat engine technology is now Stage V compliant. Engine's compact size now packs higher torque at lower RPM while ensuring low noise levels for increased comfort. Fast recovery from overload and low fuel consumption boost your effectiveness even further.






### **STEP INSIDE**



### **▶** PRESSURIZED CAB

Designed for demanding environments, pressurized cab option ensures that dust and dirt are kept out. With storage space and a 12V charger, this easy-to-clean cab is built to make tough jobs comfortable.



### **▶** IN ALL WEATHER CONDITIONS



Stay focused on the job all year round thanks to the direct cab temperature control that comes with air conditioning and heater options.

### **DELUXE DASHBOARD**




Intuitive easy-to-read control panel and keyless ignition come as standard for enhanced convenience and security.

### **▶ PERFECT SEAT**



Work comfortably all day with ergonomic, easily adjustable seats with suspension options.



SERVICEABILITY & WARRANTY

### **BUILT TO LAST**

#### **LONGER UPTIME**

Bobcat loaders rely on a range of features that help minimize maintenance and protect your machine: self-diagnostics, machine shutdown protection, battery run-down protection, cold weather protection and other features. What's more, M-Series track loaders feature long-lasting tracks and reliable undercarriage, which further increases uptime and gives you added peace of mind.

#### **EXTENDED SERVICE INTERVALS**

Improve efficiency and reduce your operating costs thanks to extended service intervals. Bobcat recommends first service after 500 hours of operation.





#### MACHINE 10

BOBCAT® Machine IQ Wireless Communications enhances the support for your Bobcat machine.

- Durable built-in monitoring electronics
- Data are available to our machine monitoring specialist
- Maintenance is optimized for your business
- Data-driven services maximize uptime

### **STANDARD WARRANTY**

Bobcat Company develops every machine to the highest standards of quality and durability. That's why our standard warranty provides 24 months or 2000 operating hours (whichever occurs first) of coverage.



### THERE'S NO TIME FOR DOWNTIME. STAND UP TO THE HARSHEST CONDITIONS. DAY AFTER DAY.





### **▶ PROTECTION PLUS EXTENDED WARRANTY**

Enjoy total peace of mind with a Protection Plus® extended warranty. Providing the same level of protection as the standard warranty, Protection Plus also reflects different customer needs and expectations by offering a choice of durations and annual operating hours. According to your needs, you can benefit from the coverage for up to 5 years or 6000 engine hours. And Protection Plus is transferrable – so it will likely increase your machine's resale value.



#### **▶** BOBCARE

A long-running machine starts with proper planned maintenance which helps protect against repair costs and unplanned failures when you're counting on your machine to work.

- Avoid risk by preventing major repairs and complete failures.
- Accomplish more by reducing downtime and increasing your productivity and profitability.



### **T450**

#### **COMPACT AND VERSATILE**

With a tipping load of 2049 kg and optimized weight-to-power ratio, the T450 packs a punch despite being our smallest machine. Equipped with radial lift (designed for ground versatility) and air conditioning to make work more pleasant in any weather.



### MADE TO GO WHERE THE WORK IS



## **CHOOSE YOUR ANIMAL**

### **T590**

### ▶ THE POWER TO TACKLE ANY JOB Take the most demanding jobs head-on, thanks to a powerful engine, exceptionally high tipping load of 2773 kg, and a High-Flow option. Equipped with vertical lift designed for stability in high reach, the T590 is surprisingly compact and light, making it suitable for a wide range of applications.




### **▶** CONQUER ANY CHALLENGE



### **STANDARD EQUIPMENT**





### **▶** FOR BOTH MODELS

- Automatically activated glow plugs
- Auxiliary hydraulics: variable flow/maximum flow
- Bobcat Interlock Control System (BICS)
- Bob-Tach™ frame
- CE certification
- Cushioned lift and tilt cylinders
- Deluxe instrument panel
- Deluxe operator cab\* Includes interior cab foam, side, top and rear windows, Deluxe wire harness, dome light, electrical power port
- Electrically activated proportional front auxiliary hydraulics
- Engine/hydraulics system shutdown
- Keyless start with password capability
- Lift arm support
- Machine IQ (telematics)
- Manual / Instrumentation
- Noise reduction kit
- Operating lights, front and rear
- Parking brake
- Seat bar
- Seat belt
- Suspension seat
- Turbo-charger with approved spark arrestor

#### ▶ FOR T450

• Tracks - rubber - 300 mm

### ▶ FOR T590

- Tracks rubber 320 mm
- Hydraulic bucket positioning (including ON/OFF switch)

\*Roll Over Protective Structure (ROPS) – meets requirements of SAE-J1040 and ISO 3471; Falling Object Protective Structure (FOPS) – meets requirements of SAE-J1043 and ISO 3449, Level I

### **▶** PERSONALIZE YOUR MACHINE

Sometimes, we all want to add a specific functionality or a personal touch to the machine. Choose from a list of comprehensive options and customize your track loader to your heart's content!







Rubber tracks 400 mm

0 mm LED lights

Road kit







Selectable Joystick Controls (SJC)

Joystick HVAC

Rear camera







Radio

•

Cloth suspension seat

High-flow auxiliary hydraulics





Forestry kit

Counterweight kit

Beacon

14 T450-T590 Brochure 15

OPTIONS

2 Speed

4-point lift

Attachment control
Backup alarm
Beacon

Bucket positioning
Cloth suspension seat
Custom paint color

Deluxe cab with side windows

Deluxe enclosed cab with heating

Deluxe enclosed cab with HVAC

Engine compartment seal

Front door with windshield wiper

FOPS II

Headlight guard
High-Flow
Joystick controls
LED side lights
Manual controls

Power Bob-Tach™

Rear auxiliary hydraulic
Rear camera with display
Rear counterweight
Rear window wiper
Reversing fan
Ride control

Radio

Road option

Strobe

Single-point lift

Tail light guard

Water tank

Special applications front door

Tracks - rubber - 400 mm

### **MULTI-TOOL CARRIER**

#### **BOBCAT ATTACHMENTS**

Get more versatility and efficiency with Bobcat attachments and implements.

- The largest choice of attachments in the industry
- Match performance to your Bobcat machine

Contact your dealer for actual attachment compatibility.

Combination buckets

- Work harder with stronger components and construction.
- Rest easy with the 12-month warranty on every genuine Bobcat attachment.





Angel brooms

Box blades





**Breakers** 

Brush saws







Concrete mixers

Drop hammers





Grapples

Landplanes







Landscape rakes

Laser graders





Root grapples











Stump grinders

**ATTACHMENTS** Angle brooms Augers Backhoes Bale forks Box blades Breakers Brush saws Brushcat™ rotary cutters Combination buckets Concrete mixers Concrete pumps Construction / Industrial buckets Diggers Dozer blades Drop hammers Dumping hoppers Fertilizer and grain buckets Flail cutters Forestry cutters General Purpose (GP) bucket Graders Grapples, industrial Landplanes Landscape rakes Laser equipment Low profile buckets Mixing buckets Mowers Pallet forks, hydraulic Planers Remote control Root grapples Rotary grinders Sand cleaners Scarifiers Scrapers Skeleton buckets Snow & light material buckets Snow blades, pushers, V-blades Sod layers Soil conditioners Spreaders Stump grinders Sweepers Tillers Tilt-tatch Tree transplanters Trench compactors Trenchers Utility forks Utility frames Vibratory rollers Wheel saws Whisker brooms Wood chippers

**MULTI-TOOL CARRIER** 

### **SPECIFICATIONS**

SPECIFICATIONS		
	T450	T590
MACHINE RATING		
Tipping load (ISO 14397-1)	2049 kg	2773 kg
Rated operating capacity* (ISO 14397-1)	717 kg	971 kg
Ground pressure	40.0 kPa	24.1 kPa
Lift breakout force	1426 daN	2269 daN
Tilt breakout force	1781 daN	2179 daN
Push force	2388 daN	3573 daN
CYCLE TIMES		
Raise lift arms	2.6 s	4 s
Lower lift arms	2.4 s	2.8 s
Bucket rollback	1.5 s	1.7 s
Bucket dump	2.0 s	2.5 s
WEIGHTS		
Operating weight	2961 kg	3664 kg
Shipping weight	2665 kg	3283 kg
ENGINE		
Make / Model	Bobcat 2.4 L, 97/68 EC	Bobcat 2.4 L, 97/68 EC
Compliance	Stage V	Stage V
Fuel	Diesel	Diesel
Cooling	Liquid	Liquid
Power at 2600 RPM (ISO 14396)	41.0 kW	50.8 kW
Torque at 1800 RPM (ISO 14396)	204.2 Nm	252.3 Nm
HYDRAULIC SYSTEM		
Pump capacity	63.0 L/min	64.7 L/min
Pump capacity (with high flow option)	-	101.1 L/min
System relief at quick couplers	22.4-23.1 L/min	23.8-24.5 MPa
TRACTION		
Max. travel speed (low range – standard)	10.0 km/h	10.4 km/h
Max. travel speed (high range – optional)	14.4 km/h	16 km/h
FLUID CAPACITIES		
Fuel tank	64.9 L	138.2 L
Hydraulic / Hydrostatic system	21.0 L	36 L
ENVIRONMENTAL		
Operator LpA (98/37 & 474-1)	85 dB(A)	82 dB(A)
Noise level LWA (EU Directive 2000/14/EC)	101 dB(A)	101 dB(A)
Whole body vibration (ISO 2631-1)	1.00 ms <sup>-2</sup>	0.84 ms <sup>-2</sup>
Hand-arm vibration (ISO 5349-1)	2.42 ms <sup>-2</sup>	2.29 ms <sup>-2</sup>

<sup>\*</sup> Rated operating capacity is 35% of the tipping load.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.

### **SPECIFICATIONS**

**DIMENSIONS** 

DIMENSIONS		
	T450	T590
A	3604	3901
В	1976	1972
C	28.0°	27.8°
D	213	188
E	1275	1402
F	2499	2657
G	3216	3378
Н	26.0°	30.0°
I	2129	2319
J	2781	3023
K	597	887
L	40.0°	42.0°
M	91.0°	97.0°
N	1422	1727
N*	1575	1880
0	1979	2032
P	1097	_
Q	1397	1702
Q*	_	1782

Unit: mm





### 150 ATTACHMENTS 63 MACHINES 1 TOUGH ANIMAL



#### **DESIGNED TO DO MORE**

Bobcat offers the widest range of attachments for all your needs in Construction, Landscaping, Agriculture, Road, Material Handling and Forestry.





COMPACT TRACK MINI TRACK LOADERS LOADER







**COMPACT EXCAVATORS** 



**ROTARY TELESCOPIC HANDLERS** 





#### Bobcat is a Doosan Company.

Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. I Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries.

©2020 Bobcat Company. All Rights Reserved.

\*Financing options may vary by country and dealer. Always ask your dealer about currently available financing options. Terms and conditions may apply.





## GETAQUOTE

Simply click the button or scan the QR code below to access our quote request form.

We will contact you as soon as possible. Thank you!



**REQUEST QUOTE**