


Description

Ideal for rough-cut applications, including road ditch right-of-way, golf course roughs and large acreage mowing. The mower has three partially overlapping blades that cut clean with no skips. It eliminates driving over the grass before cutting, and provides excellent visibility of the work area.

Dimensions



Description	Item number	Overall length (A) (mm)	Overall width (B) (mm)	Overall height (C) (mm)
Mower 183 cm Non-CE	7144850	1727.0	1930.0	559.0
Mower 229 cm Non-CE	7143993	1905.0	2388.0	559.0

Weights

Description	Item number	Operating weight (kg)	Shipping weight (kg)
Mower 183 cm Non-CE	7144850	400.0	400.0
Mower 229 cm Non-CE	7143993	450.0	450.0

Characteristics and performance

Description	Item number	Flow range (L/min)	Number of blades	Shutoff travel height (mm)	Cutting height range (mm)	Blade tip speed
Mower 183 cm Non-CE	7144850	57.0-83.0	3	86.0	51.0-140.0	61 m/s @ 57 l/min, 89 m/s @ 83 l/min
Mower 229 cm Non-CE	7143993	57.0-83.0	3	86.0	51.0-140.0	59 m/s @ 57 l/min, 87 m/s @ 83 l/min

Main features

- Three partially overlapping blades for clean cutting with no skips.
- Direct hydraulic motor drive.
- Industry standard cutting blades elevate grass for better mulching capability.

- Adjustable cutting height from 57 to 140 mm in 13 mm increments.
- Unique attachment frame allows mower to oscillate independently of loader.
- Rear discharge disperses grass clippings under the carrier, away from buildings, trees and fences.
- Patented blade shutoff device stops blade rotation when mower is raised off the ground.
- Anti-scalping wheel allows operator to traverse uneven terrain without scalping the surface.

Applications

- Agriculture
- Forestry
- Landscaping

Loader Compatibility

Description	Item number	Compatible with loader	Functional requirements
Mower 183 cm Non-CE	7144850	T110-B, A770-B, T110-E, T450E IIIB, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, S100E, S450E IIIA, S450B T2, S510E IIIA, S510B, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, A770E IV, S450 V, S510E V, S530E V, T590E V, T450E V, S66, S76, T66, T76, S510B, S530B, S550E V, S590E V, S630B iT4, S650B iT4	-
Mower 229 cm Non-CE	7143993	A770-B, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S510E IIIA, S510B, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S510E V, S530E V, T590E V, S66, S76, T66, T76, S510B, S530B, S550E V, S590E V, S630B iT4, S650B iT4	-

BE OM **EN OFFERT**

Klicka bara på **knappen** eller skanna **QR-koden** nedan för åtkomst till vårt offertformulär.

Vi kontaktar dig så snart som möjligt. Tack!



BEGÄR OFFERT

