


## Description

This rugged, powerful saw cuts through asphalt, concrete, frozen ground or wire mesh with more precision than air or hydraulic breakers. Use it for road repair and for laying water, gas, electric and fiber-optic cables. The trench cleaner raises and lowers hydraulically. Depending on model, cutting depth ranges from 15 cm to 80 cm.

## Dimensions



| Description                                 | Item number     | Overall length (A) (mm) | Overall width (B) (mm) | Overall height (C) (mm) |
|---|-----------------|-------------------------|------------------------|-------------------------|
| WS18 Wheelsaw 8 cm, Wheel & Trench Cleaner  | 6729537*W13A3.0 | 1740.0                  | 1740.0                 | 1626.0                  |
| WS18 Wheelsaw 13 cm, Wheel & Trench Cleaner | 6729537*W13B3.0 | 1740.0                  | 1740.0                 | 1626.0                  |
| WS18 Wheelsaw 16 cm, Wheel & Trench Cleaner | 6729537*W13C3.0 | 1740.0                  | 1740.0                 | 1626.0                  |
| WS18 Wheelsaw 20 cm, Wheel & Trench Cleaner | 6729537*W13E3.0 | 1740.0                  | 1740.0                 | 1626.0                  |
| WS24 Wheelsaw 13 cm, Wheel & Trench Cleaner | 6729566*W18B0.0 | 1740.0                  | 1740.0                 | 2057.0                  |
| WS24 Wheelsaw 16 cm, Wheel & Trench Cleaner | 6729566*W18C0.0 | 1740.0                  | 1740.0                 | 2057.0                  |
| WS24 Wheelsaw 20 cm, Wheel & Trench Cleaner | 6729566*W18E0.0 | 1740.0                  | 1740.0                 | 2057.0                  |
| WS32 Wheelsaw 25 cm, Wheel                  | 7197218         | 2386.0                  | 1650.0                 | 1802.0                  |

## Weights

| Description                                 | Item number     | Operating weight (kg) | Shipping weight (kg) |
|---|-----------------|-----------------------|----------------------|
| WS18 Wheelsaw 8 cm, Wheel & Trench Cleaner  | 6729537*W13A3.0 | 1004.0                | 1004.0               |
| WS18 Wheelsaw 13 cm, Wheel & Trench Cleaner | 6729537*W13B3.0 | 917.0                 | 917.0                |

| Description                                 | Item number              | Operating weight (kg) | Shipping weight (kg) |
|---|--------------------------|-----------------------|----------------------|
| WS18 Wheelsaw 16 cm, Wheel & Trench Cleaner | 6729537* <del>WS18</del> | 932.0                 | 932.0                |
| WS18 Wheelsaw 20 cm, Wheel & Trench Cleaner | 6729537* <del>WS18</del> | 961.0                 | 961.0                |
| WS24 Wheelsaw 13 cm, Wheel & Trench Cleaner | 6729566* <del>WS24</del> | 1126.0                | 1126.0               |
| WS24 Wheelsaw 16 cm, Wheel & Trench Cleaner | 6729566* <del>WS24</del> | 1169.0                | 1169.0               |
| WS24 Wheelsaw 20 cm, Wheel & Trench Cleaner | 6729566* <del>WS24</del> | 1192.0                | 1192.0               |
| WS32 Wheelsaw 25 cm, Wheel                  | 7197218                  | 1440.0                | 1440.0               |

### Characteristics and performance

| Description                                 | Item number              | Working width (mm) | Working Depth (mm) | Trench cleaner | N° of bits | Wheel rotation @ 113 lpm (RPM) |
|---|--------------------------|--------------------|--------------------|----------------|------------|--------------------------------|
| WS18 Wheelsaw 8 cm, Wheel & Trench Cleaner  | 6729537* <del>WS18</del> | 80.0               | 150.0-450.0        | no             | 64         | 80.0                           |
| WS18 Wheelsaw 13 cm, Wheel & Trench Cleaner | 6729537* <del>WS18</del> | 130.0              | 150.0-450.0        | yes            | 56         | 80.0                           |
| WS18 Wheelsaw 16 cm, Wheel & Trench Cleaner | 6729537* <del>WS18</del> | 160.0              | 150.0-450.0        | yes            | 56         | 80.0                           |
| WS18 Wheelsaw 20 cm, Wheel & Trench Cleaner | 6729537* <del>WS18</del> | 200.0              | 150.0-450.0        | yes            | 62         | 80.0                           |
| WS24 Wheelsaw 13 cm, Wheel & Trench Cleaner | 6729566* <del>WS24</del> | 130.0              | 200.0-600.0        | yes            | 80         | 67.0                           |
| WS24 Wheelsaw 16 cm, Wheel & Trench Cleaner | 6729566* <del>WS24</del> | 160.0              | 200.0-600.0        | yes            | 96         | 67.0                           |
| WS24 Wheelsaw 20 cm, Wheel & Trench Cleaner | 6729566* <del>WS24</del> | 200.0              | 200.0-600.0        | yes            | 96         | 67.0                           |
| WS32 Wheelsaw 25 cm, Wheel                  | 7197218                  | 250.0              | 450.0-800.0        | no             | 72         | 67.0                           |

### Main features

- A hydraulically controlled trench cleaner, for cleaner trenches every time (not for WS18 with 80 mm wheel and not for WS32).
- More precise cutting action than air or hydraulic hammers can provide.
- Easier to transport than dedicated machines.
- Hydraulic side shift.

- Powerfull cutting in asphalt, concrete and rock. Cuts clean, precise, without damaging the edges of the trench.

### Applications

- Construction and Demolition
- Road work, Recycling and Cleaning

### Loader Compatibility

| Description                                 | Item number | Compatible with loader   | Functional requirements |
|---|-------------|--|-------------------------|
| WS18 Wheelsaw 8 cm, Wheel & Trench Cleaner  | 6729537*    | WS70-B, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S530E V, T590E V, S66, S76, T66, T76, S530B, S630B iT4, S650B iT4 | -                       |
| WS18 Wheelsaw 13 cm, Wheel & Trench Cleaner | 6729537*    | WS70-B, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S530E V, T590E V, S66, S76, T66, T76, S530B, S630B iT4, S650B iT4 | -                       |
| WS18 Wheelsaw 16 cm, Wheel & Trench Cleaner | 6729537*    | WS70-B, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S530E V, T590E V, S66, S76, T66, T76, S530B, S630B iT4, S650B iT4 | -                       |

| Description                                 | Item number | Compatible with loader   | Functional requirements |
|---|-------------|--|-------------------------|
| WS18 Wheelsaw 20 cm, Wheel & Trench Cleaner | 6729537*    | WS70-B, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S530E V, T590E V, S66, S76, T66, T76, S530B, S630B iT4, S650B iT4 | -                       |
| WS24 Wheelsaw 13 cm, Wheel & Trench Cleaner | 6729566*    | WS70-B, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S76, T76, S650B iT4  | -                       |
| WS24 Wheelsaw 16 cm, Wheel & Trench Cleaner | 6729566*    | WS70-B, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S76, T76, S650B iT4  | -                       |
| WS24 Wheelsaw 20 cm, Wheel & Trench Cleaner | 6729566*    | WS70-B, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S76, T76, S650B iT4  | -                       |
| WS32 Wheelsaw 25 cm, Wheel                  | 7197218     | A770-B, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV   | -                       |

**Accessories For Loader-Compatible Attachments**

| Description               | Item number | Compatible with attachment   | Functional requirements |
|---------------------------|-------------|--|-------------------------|
| Kit WS18 Right Side Close | 6815765     | 6729537*WSA WS18 Wheelsaw with 8 cm Wheel,6729537*WSB WS18 Wheelsaw with 13 cm Wheel & Trench Cleaner,6729537*WSC WS18 Wheelsaw with 16cm Wheel & Trench Cleaner,6729537*WSE WS18 Wheelsaw with 20 cm Wheel & Trench Cleaner | -                       |

| Description                           | Item number | Compatible with attachment   | Functional requirements |
|---------------------------------------|-------------|--|-------------------------|
| Kit WS18 Left Side Close              | 6815766     | 6729537*WSA WS18 Wheelsaw with 8 cm Wheel,6729537*WSB WS18 Wheelsaw with 13 cm Wheel & Trench Cleaner,6729537*WSC WS18 Wheelsaw with 16cm Wheel & Trench Cleaner,6729537*WSE WS18 Wheelsaw with 20 cm Wheel & Trench Cleaner | -                       |
| Kit WS18 Debris Deflector Left Large  | 6815768     | 6729537*WSA WS18 Wheelsaw with 8 cm Wheel,6729537*WSB WS18 Wheelsaw with 13 cm Wheel & Trench Cleaner,6729537*WSC WS18 Wheelsaw with 16cm Wheel & Trench Cleaner,6729537*WSE WS18 Wheelsaw with 20 cm Wheel & Trench Cleaner | -                       |
| Kit WS18 Debris Deflector Right Large | 6815767     | 6729537*WSA WS18 Wheelsaw with 8 cm Wheel,6729537*WSB WS18 Wheelsaw with 13 cm Wheel & Trench Cleaner,6729537*WSC WS18 Wheelsaw with 16cm Wheel & Trench Cleaner,6729537*WSE WS18 Wheelsaw with 20 cm Wheel & Trench Cleaner | -                       |
| Kit WS24 Right Side Close             | 6815769     | 6729566*WSB WS24 Wheelsaw with 13 cm Wheel & Trench Cleaner,6729566*WSC WS24 Wheelsaw with 16 cm Wheel & Trench Cleaner,6729566*WSE WS24 Wheelsaw with 20 cm Wheel & Trench Cleaner.   | -                       |
| Kit WS24 Left Side Close              | 6815770     | 6729566*WSB WS24 Wheelsaw with 13 cm Wheel & Trench Cleaner,6729566*WSC WS24 Wheelsaw with 16 cm Wheel & Trench Cleaner,6729566*WSE WS24 Wheelsaw with 20 cm Wheel & Trench Cleaner.   | -                       |
| Kit WS24 Debris Deflector Right Large | 6815771     | 6729566*WSB WS24 Wheelsaw with 13 cm Wheel & Trench Cleaner,6729566*WSC WS24 Wheelsaw with 16 cm Wheel & Trench Cleaner,6729566*WSE WS24 Wheelsaw with 20 cm Wheel & Trench Cleaner.   | -                       |

| Description                          | Item number | Compatible with attachment   | Functional requirements |
|--------------------------------------|-------------|--|-------------------------|
| Kit WS24 Debris Deflector Left Large | 6815772     | 6729566*WSB WS24 Wheelsaw with 13 cm Wheel & Trench Cleaner,6729566*WSC WS24 Wheelsaw with 16 cm Wheel & Trench Cleaner,6729566*WSE WS24 Wheelsaw with 20 cm Wheel & Trench Cleaner. | -                       |

# BE OM **EN OFFERT**

Klicka bara på **knappen** eller skanna **QR-koden** nedan för åtkomst till vårt offertformulär.

Vi kontaktar dig så snart som möjligt. Tack!



**BEGÄR OFFERT**

